

**Year 3 P&D Staff Training (FY08-09):  
Construction & Post-Construction Implementation NPDES Municipal Permit  
Quiz & Survey Results**

<b>Question</b>	<b>Correct Answer</b>	<b>% Correct Yr 2</b>	<b>% Correct Yr 3</b>
Project Clean Water staff will review all projects for water quality impacts	False	100	<b>90</b>
An excessive expense to the implementation of any single BMP is enough justification for not using it.	True	0	<b>75</b>
Parking lots are known to contribute heavy metals.	True	100	<b>100</b>
All Attachment 4(B) category projects must label storm drain inlets with prohibitive language (such as %No Dumping . drains to creek+)	True	100	<b>92</b>
All trash container areas must have a roof.	False	100	<b>75</b>
The Flood Control Standard Conditions address impacts from increased runoff rates	True	100	<b>90</b>
Dedicating open space areas is an acceptable Attachment 4(B) design standard	True	90	<b>90</b>
All Attachment 4(B) category projects will need to address Post-Construction Runoff Controls in their project plans and reports	True	100	<b>100</b>
The majority of pollutants found in storm water runoff occur in low to mid-sized storm events	True	75	<b>80</b>
All Attachment 4(B) category projects must be designed to minimize the introduction of pollutants of concern to the Maximum Extent Practicable	True	100	<b>100</b>
It is better to use a combination of smaller storm water treatment measures placed in series than to use a single measure at the project's discharge point	True	100	<b>80</b>
The County's post-construction storm water program only applies to the NPDES permit area	False	90	<b>90</b>
A Storm Water Quality Management Plan should be conditioned on any project having	True	100	<b>100</b>

<b>Question</b>	<b>Correct Answer</b>	<b>% Correct Yr 2</b>	<b>% Correct Yr 3</b>
a significant water quality impact			
Roof-top drains should drain directly to a paved gutter or piped conduit	False	90	<b>80</b>
Attachment 4(B) category projects must identify their proposed treatment measures before the application is COMPLETE.	True	75	<b>100</b>
The CASQA Handbook for New Development and Redevelopment includes Site Design and Source Control BMPs, as well as treatment control BMPs.	True	100	<b>80</b>
Public Works staff review/approve Storm Water Pollution Prevention Plans, or Erosion & Sediment Control Plans, for construction BMPs.	False	80	<b>60</b>
Large landscaping projects planned during the rainy season should be conditioned with BMPs to prevent erosion and control sediment.	True	100	<b>100</b>
According to the Grading Ordinance, construction BMPs do not need to be in place during the <u>non-rainy</u> or dry season (Apr 15 through Nov 1).	False	90	<b>75</b>
Only projects located in areas of <del>blue-line+</del> creeks must employ measures to protect drainage swales or channels.	False	100	<b>100</b>
If a project disturbs more than 1.0 acre, applicants must provide a copy of their NOI and SWPPP (prepared under state requirements of the NPDES Construction General Permit	True	80	<b>100</b>
Plans must show designated areas for concrete, paint, plaster, etc wash areas if these type of activities will occur.	True	100	<b>100</b>
	Average Correct Answers:	90%	<b>88%</b>

## Course Evaluation Results

<b>Question</b>	<b>% Responders Year 2</b>	<b>% Responders Year 3</b>
This training was appropriate and effective	80	40
This training was somewhat appropriate / effective	16	60
This training was not very appropriate or effective	0	1
I learned a lot	67	30
I learned not so much, because I already knew it	33	70
I learned not so much, because it was not very appropriate or effective	0	1
Total Number Responses:	12	26